

adobe

B.N.S.E.


cercom

B.A.S.E.

B.A.S.E. È UN SISTEMA ARTICOLATO DI COLLEZIONI TRA LORO COMPLEMENTARI E COMBINABILI, PENSATO PER ESPORARE E VALORIZZARE L'ESSENZA ORIGINARIA DELLA CERAMICA: LA MATERIA.

IL NOME STESSO È UN ACRONIMO CHE RICHIAMA I QUATTRO ELEMENTI FONDAMENTALI ATTORNO A CUI SI SVILUPPA IL PROGETTO:



B.A.S.E. IS A STRUCTURED SYSTEM OF COLLECTIONS, COMPLEMENTARY AND COMPLETELY COMBINABLE, DESIGNED TO EXPLORE AND ENHANCE THE ORIGINAL ESSENCE OF CERAMICS: MATTER.

THE NAME IS AN ACRONYM THAT EMBODIES THE FOUR FUNDAMENTAL ELEMENTS AROUND WHICH THE CONCEPT DEVELOPS:

B – BARK: TEXTURE ISPIRATE AL LEGNO, IN EQUILIBRIO TRA NATURALIZZAZIONE E DESIGN.

A – ADOBE: IL TERMINE “ADOBE” SIGNIFICA LETTERALMENTE: MATTONE CRUDO DI TERRA E PAGLIA, ESSICCATO AL SOLE. ADOBE È UNA MISCELA DI TERRA ARGILLOSA, SABBIA, ACQUA E SPESSO PAGLIA, MODELLATA IN BLOCCHI E LASCIATA ASCIUGARE AL SOLE.

S – STONE: LA PIETRA COME ELEMENTO FONDANTE, PUNTO DI PARTENZA DEL NOSTRO PERCORSO E CUORE DEL PROGETTO STONE LAB.

E – EMBELLISHMENT: L'ELEMENTO DECORATIVO CHE ARRICCHISCE E COMPLETA IL PROGETTO, CON STRUTTURE E SUPERFICI RAFFINATE.

B.A.S.E. NON È SOLO UNA COLLEZIONE, MA UN LINGUAGGIO PROGETTUALE: UN INVITO A RISCOPRIRE IL VALORE DELLA MATERIA CERAMICA NELLA SUA FORMA PIÙ PURA, E A REINTERPRETARLA IN CHIAVE CONTEMPORANEA, FORNENDO ALL'UTENTE IMMEDIATE SOLUZIONI DI ABBINABILITÀ TRA LE FINITURE CHE LO COMPONGONO.

adobe
traces of earth


B – BARK: TEXTURES INSPIRED BY WOOD, BALANCING NATURAL AUTHENTICITY WITH REFINED DESIGN.

A – ADOBE: THE TERM “ADOBE” LITERALLY MEANS: A RAW BRICK OF EARTH AND STRAW, SUN-DRIED. ADOBE IS A BLEND OF CLAY SOIL, SAND, WATER, AND OFTEN STRAW, SHAPED INTO BLOCKS AND DRIED UNDER THE SUN.

S – STONE: STONE AS A FOUNDATIONAL ELEMENT, THE STARTING POINT OF OUR JOURNEY AND THE ESSENCE OF THE STONE LAB PROJECT.

E – EMBELLISHMENT: THE DECORATIVE DIMENSION THAT ENRICHES AND COMPLETES THE PROJECT WITH REFINED STRUCTURES AND SURFACES.

B.A.S.E. IS MORE THAN A COLLECTION: IT IS A DESIGN LANGUAGE, AN INVITATION TO REDISCOVER THE INTRINSIC VALUE OF CERAMIC MATERIAL IN ITS PUREST FORM, AND TO REINTERPRET IT THROUGH A CONTEMPORARY LENS, OFFERING USERS IMMEDIATE AND VERSATILE SOLUTIONS FOR COMBINING ITS DIVERSE FINISHES.



GRUPPO
ROMANI



adobe

traces of earth

ADOBE INTERPRETS THE AUTHENTIC BEAUTY OF NATURAL MATTER THROUGH TWO COMPLEMENTARY SURFACES: SAND AND CLAY. SAND STANDS OUT FOR ITS VIBRANT TEXTURE AND SUBTLE GRAININESS INSPIRED BY LIMESTONE INCLUSIONS, WHILE CLAY EXPRESSES A SOFTER, EARTHIER CHARACTER, MARKED BY DELICATE IRREGULARITIES WITH AN ARTISANAL APPEAL. A REFINED MATERIAL LANGUAGE DESIGNED FOR CONTEMPORARY, WELCOMING INTERIORS.

ADOBE INTERPRETA LA BELLEZZA AUTENTICA DELLA MATERIA NATURALE ATTRAVERSO DUE SUPERFICI COMPLEMENTARI, SAND E CLAY. SAND SI DISTINGUE PER LA TEXTURE VIBRANTE E LA LIEVE GRANULOSITÀ ISPIRATA ALLE INCLUSIONI CALCAREE, MENTRE CLAY ESPRIME UN CARATTERE PIÙ MORBIDO E TERROSO, SEGNATO DA DELICATE IRREGOLARITÀ DAL SAPORE ARTIGIANALE. UN LINGUAGGIO MATERICO RAFFINATO PENSATO PER AMBIENTI CONTEMPORANEI E ACCOGLIENTI.


cercom

Earth-inspired surfaces that shape quiet architecture.





Superfici ispirate alla terra che modellano architetture silenziose.

Five natural tones, available in both Sand and Clay surfaces, define a warm and balanced palette inspired by the authentic colors of the earth.




Cinque tonalità naturali, declinate nelle superfici Sand e Clay, definiscono una palette calda ed equilibrata ispirata ai colori autentici della terra.



colours

clay	sand
	
desert	desert
	
taupe	taupe
	
vulcan	vulcan
	
white	white
	
moss	moss
	

sizes & modular

CLAY/SAND ⌵ 8,5 mm 5/16"  100x100 cm . 40"x40" RETT / RETT R11	
CLAY/SAND ⌵ 9,5 mm 3/8"  120x120 cm . 48"x48" RETT	
CLAY/SAND  60x120 cm . 24"x48" RETT / RETT R11	
CLAY/SAND  60x60 cm . 24"x24" RETT	
CLAY/SAND  30x60 cm . 12"x24" RETT	
CLAY/SAND ⌵ 20 mm 13/16"  60x120 cm . 24"x48" RETT	CLAY/SAND  100x100 cm . 40"x40" RETT

desert

floor
adobe desert sand
100x100 . 40"x40" RETT

wall
adobe desert clay
100x100 . 40"x40" RETT





adobe desert clay
120x120 . 48"x48" RETT



floor
adobe desert sand
60x120 . 24"x48" RETT

wall
adobe desert clay
60x120 . 24"x48" RETT
cerasarda prisme de lumière
13,2x13,2 . 5³/₁₆"x5³/₁₆"

adobe desert sand
60x120 . 24"x48" RETT



taupe

floor
adobe taupe clay
R11 60x120 . 24"x48" RETT

wall
adobe taupe sand
60x120 . 24"x48" RETT





floor
adobe taupe sand
120x120 . 48"x48" RETT

wall
adobe taupe clay
60x120 . 24"x48" RETT



adobe taupe clay
R11 20mm 60x120 . 24"x48" RETT



adobe taupe sand
60x120 . 24"x48" RETT

adobe taupe sand
100x100 . 40"x40" RETT



vulcan

floor
adobe vulcan sand
60x120 . 24"x48" RETT

wall
adobe vulcan clay
60x120 . 24"x48" RETT





adobe vulcan sand
60x120 . 24"x48" RETT



adobe vulcan clay
100x100 . 40"x40" RETT



adobe vulcan sand
120x120 . 48"x48" RETT

adobe vulcan sand
100x100 . 40"x40" RETT

white

floor
adobe white clay
120x120 . 48"x48" RETT

wall
adobe white sand
60x120 . 24"x48" RETT





floor
adobe white sand
 100x100 . 40"x40" RETT

wall
cerasarda prisme de noir
 13,2x13,2 . 5³/₁₆"x5³/₁₆"

adobe white clay
100x100 . 40"x40" RETT





adobe white clay
60x120 . 24"x48" RETT

wall
adobe chips white
60x120 . 24"x48" RETT

floor
adobe white sand
60x120 . 24"x48" RETT



moss

adobe moss clay
60x120 . 24"x48" RETT



floor
adobe moss sand
100x100 . 40"x40" RETT

wall
adobe moss clay
100x100 . 40"x40" RETT
cerasarda porto rotondo borgogna
6x25 . 2³/₈"x10"





adobe moss clay
60x120 . 24"x48" RETT



adobe chips moss
60x120 . 24"x48" RETT



adobe moss sand
60x120 . 24"x48" RETT

wall

adobe moss sand
60x120 . 24"x48" RETT

floor

adobe moss clay
100x100 . 40"x40" RETT



GRES PORCELLANATO SMALTATO COLORATO IN MASSA
GLAZED PORCELAIN STONEWARE WITH COLOURED BODY
GRÈS CÉRAMÉ ÉMAILLÉ COLORÉ DANS LA MASSE
GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT

R11
CLASS C

R10
CLASS B

A+B

A+B+C

V2

8,5 MM
5/16"

9,5 MM
3/8"

2 CM
10/16"

R11

desert clay



taupe clay



vulcan clay



white clay




moss clay




sizes

± 8,5 mm 5/16"


± 9,5 mm 3/8"




100x100 . 40"x40" RETT
NAT R11



120x120 cm . 48"x48" RETT
NAT



60x120 . 24"x48" RETT
NAT R11




60x60 . 24"x24" RETT
NAT

± 20 mm 13/16"



30x60 cm . 12"x24" RETT
NAT



100x100 cm . 40"x40" RETT
R11



60x120 . 24"x48" RETT
R11

UPON REQUEST, ALL SIZES AND COLORS
AVAILABLE IN THE COLLECTION CAN BE
SUPPLIED WITH A SPACCATELLA

SU RICHIESTA, TUTTI I FORMATI E COLORI
DISPONIBILI NELLA SERIE POSSONO ESSERE
FORNITI CON BORDO SPACCATELLA

	desert clay	✓	✓	✓	✓	✓
	taupe clay	✓	✓	✓	✓	✓
	vulcan clay	✓		✓	✓	✓
	white clay	✓	✓	✓	✓	✓
	moss clay	✓	✓	✓	✓	✓

✓	✓	✓
✓	✓	✓
✓		
✓	✓	✓
✓	✓	✓

decori

DECORS . DÉCORS . DEKORE

CHIPS

± 9,5 mm 3/8"



desert clay

60x120 . 24"x48" RETT



taupe clay

60x120 . 24"x48" RETT



vulcan clay

60x120 . 24"x48" RETT



white clay

60x120 . 24"x48" RETT



moss clay

60x120 . 24"x48" RETT

pezzi speciali

TRIMS . PIÈCES SPÉCIALES . FORMSTÜCKE


± 8,5 mm 5/16"



Battiscopa


6,5x100 . 2 9/16"x40" RETT

± 9,5 mm 3/8"




Battiscopa

6,5x60 . 2 9/16"x24" RETT



Gradone Costa Retta


30x120x3,3 . 12"x48"x1 5/16" RETT



Gradone Square Assemblato

30x120x3,3 . 12"x48"x1 5/16" RETT


± 20 mm 13/16"



Step Molato

30x120 . 12"x48" RETT R11


33x100 . 13"x40" RETT R11



Step Torato

30x120 . 12"x48" RETT R11


33x100 . 13"x40" RETT R11



Elemento ad "L" Assemblato

15x60x5 cm . 6"x24"x2" RETT R11

15x100x5 . 6"x40"x2" RETT R11



Gradone Costa Retta

30x60x5 . 12"x24"x2" RETT R11

30x100x5 . 12"x40"x2" RETT R11

packing

	PCS // BOX	SQM // BOX	KGS // BOX	BOXES // PALLET	SQM // PALLET	KGS // PALLET
± 8,5 mm 5/16"						
100x100 . 40"x40" RETT / R11 RETT	2	2,00	38,00	24	48,00	950
± 9,5 mm 3/8"						
120x120 . 48"x48" RETT	1	1,44	31,00	40	57,60	1300
60x120 . 24"x48" RETT / R11 RETT / CHIPS RETT	2	1,44	31,00	39	56,16	1229
60x60 . 24"x24" RETT	3	1,08	22,80	40	43,20	928
30x60 . 12"x24" RETT	6	1,08	22,80	40	43,20	928
± 20 mm 13/16"						
100x100 . 40"x40" R11 RETT	1	1,00	44,40	21	21,00	974
60x120 . 24"x48" R11 RETT	1	0,72	32,30	39	28,08	1280

Caratteristiche Tecniche

TECHNICAL FEATURES . CARACTÉRISTIQUES TECHNIQUES . TECHNISCHE EIGENSCHAFTEN

GRES PORCELLANATO SMALTATO COLORATO IN MASSA - EN 14111/ISO13006 APPENDICE G B1a GL GLAZED PORCELAIN STONEWARE WITH COLOURED BODY . GRÈS CÉRAME ÉMAILLÉ COLORÉ DANS LA MASSE GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT						
 UNI EN ISO 10545-2	Aspetto superficiale Surface appearance Aspect superficiel Oberflächenbeschaffenheit	≥ 95%	± 0,5% ± 1,5 mm			
	Lunghezza e larghezza Lenght and width Longueur et largeur Länge und Breite	+/- 0,3% +/- 1mm	± 0,5% ± 1,5 mm			
	Rettilinearità degli spigoli Straightness of sides Rectitude des arêtes Kantengeradheit	+/- 0,3% +/- 0,8mm	± 0,3% ± 1,5 mm			
	Spessore / Thickness / Epaisseur / Stärke	+/- 5% +/- 0,5mm	± 5% ± 0,5 mm			
	Ortogonalità Rectangularity Orthogonalité Rechtwinkligkeit	+/- 0,3% +/- 1,5mm	± 0,5% ± 1,5 mm			
 UNI EN ISO 10545-3	Planarità Surface flatness Planéité Ebenflächigkeit	+/- 0,4% +/- 1,8mm	± 0,5% ± 1,5 mm			
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	E ≤ 0,5%	E ≤ 0,1% B1a GL			
	Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren	MOHS ≥ 6			
	 UNI EN ISO 10545-4	Resistenza a flessione e forza di rottura Moduls of rupture and breaking strength résistance à la flexion et force de rupture Biegefestigkeit und Bruchlast	S ≥ 1300 N	S ≥ 1300 N		
			R ≥ 35 N/mm²	R ≥ 35 N/mm²		
 UNI EN ISO 10545-7	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surface des carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangaben	Classe 4 Class 4 Classe 4 Gruppe 4			
 UNI EN ISO 10545-8	Coefficiente di dilatazione termica lineare Linear thermal expansion coefficient Dilatation thermique linéaire Lineare Wärmeausdehnung	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren			
 UNI EN ISO 10545-9	Resistenza allo shock termico Thermal shock resistance Résistance au choc thermique Temperaturwechselbeständigkeit	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren	Resistente Resistant Résistant Widerstandsfähig			
 UNI EN ISO 10545-12	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangaben	Ingelivo Frost proof Ingelfj Frostsicher			
 UNI EN ISO 10545-13	Resistenza all'attacco chimico (tranne acido fluoridrico) Resistance to chemical attack (except hydrofluoric acid) Résistance à l'attaque chimique (sauf acide fluoridrique) Säure- und Laugenbeständigkeit (außer Flußsäure)	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangaben	Classe A Class A Classe A Gruppe A	Classe LA-HA Class LA-HA Classe LA-HA Gruppe LA-HA		
 UNI EN ISO 10545-14	Resistenza alle macchie di piastrelle smaltate Resistance to stains of glazed tiles Résistance aux taches des carreaux émaillés Widerstand gegen Fleckenbildner der glasierten Fliesen	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangaben	Classe 5 Class 5 Classe 5 Gruppe 5			
 B.C.R.A. REP. CEC 6/81 DIN EN 16165 ANNEX B DIN EN 16165 ANNEX A ANSI A 326.3	Resistenza alla scivolosità. Coefficiente di attrito medio Skid resistance. Average coefficient of friction Résistance au glissement. Coefficient de frottement moyen Rutschfestigkeit. Mittlerer Reibungswert	DIN EN 16165 ANNEX B ≥ R 9 (NO SOFT TOUCH)		R10	R11	
		DIN EN 16165 ANNEX A		Classe A+B Class A+B Classe A+B Gruppe A+B	Classe A+B+C Class A+B+C Classe A+B+C Gruppe A+B+C	
		B.C.R.A. REP. CEC. 6/81 (NO SOFT TOUCH)		0,40 ≤ $\mathcal{M}$ ≤ 0,74		$\mathcal{M}$ ≥ 0,74
		ANSI A 326.3 (NO SOFT TOUCH)		$\mathcal{M}$ ≥ 0,42		

Listino prezzi

PRICE LIST . TARIF . PREISLISTE

Fasce di prezzo Price ranges Grupes des prix Preisgruppen								
A Prezzo al m² Price x sqm Prix / m² Preis x qm	1° Scelta Mq 1st Choice Sqm 1 Choix Mc 1 Wahl Qm	Formati Sizes Formats Formaten	B Prezzo al pezzo Price per piece Prix a l'unité Preis pro Stück	1° Scelta Pz 1st Choice Piece 1 Choix Unite 1 Wahl Stück	Formati Sizes Formats Formaten	C Prezzo al m lineare Price per linear metre Prix au m linéaire 1. Wahl Lfm.	1° Scelta ml 1st choice linear metre 1er choix ml 1. Wahl Lfm.	Formati Sizes Formats Formaten
A10	€ 60,00	30x60 - 12"x24" Rett Sand / Clay	B43	€ 82,00	Elemento ad "L" Assemblato 15x60x5 - 6"x24"x2" Rett R11 20 mm	C5	ml € 18,00	Battiscopa 6,5x60 2 ³ / ₁₆ "x24" Rett
A13	€ 64,00	60x60 - 24"x24" Rett Sand / Clay	B51	€ 104,00	Gradone Costa Retta 30x120x3,3 12"x48"x1 ⁵ / ₁₆ " Rett	C7	ml € 20,00	Battiscopa 6,5x100 2 ³ / ₁₆ "x40" Rett
A28	€ 82,00	60x120 - 24"x48" Rett Sand / Clay	B52	€ 106,00	Gradone Costa Retta 30x60x5 12"x24"x2" Rett R11 20 mm			
A29	€ 84,00	60x120 - 24"x48" Rett R11 Sand / Clay	B53	€ 113,00	Step Molato 30x120 - 12"x48" Rett R11 20 mm			
		100x100 - 40"x40" Rett Sand / Clay	B54	€ 115,00	Elemento ad "L" Assemblato 15x100x5 - 6"x40"x2" Rett R11 20 mm			
A31	€ 86,00	100x100 - 40"x40" Rett R11 Sand / Clay	B55	€ 117,00	Step Torato 30x120 - 12"x48" Rett R11 20 mm			
A35	€ 90,00	120x120 - 48"x48" Rett Sand / Clay	B56	€ 132,00	Step Molato 33x100 - 13"x40" Rett R11 20 mm			
A36B	€ 94,00	60x120 - 24"x48" Rett Chips	B57	€ 136,00	Step Torato 33x100 - 13"x40" Rett R11 20 mm			
A45B	€ 107,00	60x120 - 24"x48" Rett R11 20 mm Sand / Clay	B60	€ 149,00	Gradone Costa Retta 30x100x5 12"x40"x2" Rett R11 20 mm			
A46D	€ 113,00	100x100 - 40"x40" Rett R11 20 mm Sand / Clay	B62	€ 166,00	Gradone Square Assemblato 30x120x3,3 - 12"x48"x1 ⁵ / ₁₆ " Rett			



IVA E TRASPORTO ESCLUSI.
VAT AND TRASPORT NOT INCLUDED.
TVA ET TRANSPORT NON INCLUS.
MWST UND TRANSPORT NICHT INBEGRIFFEN.

PICS AND STORIES
ADOBE



SMART
GALLERY

POWERED BY UFOADV



Via A. Volta 23/25 - 42013 Casalgrande (Re) Italy
Tel. +39-0522-998911/411



© Copyright 2026 Gruppo Romani S.p.A.

Gruppo Romani S.p.A. Industrie Ceramiche
www.grupporomanispa.com



TILES FOR LIFE



